

Section II
Soil and Site Information

Acreage and Proportionate Extent of the Soils
Kingsbury County, South Dakota

Map symbol	Soil name	Acres	Percent
	Total-----	574,246	100.0

* Less than 0.1 percent.

See footnote at end of table.

Section II
Soil and Site Information

Acreage and Proportionate Extent of the Soils
Kingsbury County, South Dakota

Map symbol	Soil name	Acres	Percent
Ba	Badger silty clay loam-----	8,166	1.5
Bb	Baltic silty clay loam-----	406	*
BcB	Barnes-buse loams, 2 to 6 percent slopes-----	4,962	0.9
BcC	Barnes-buse loams, 6 to 9 percent slopes-----	3,385	0.6
BdA	Beadle loam, 0 to 2 percent slopes-----	178	*
BdB	Beadle loam, 2 to 6 percent slopes-----	857	0.2
BdC	Beadle loam, 6 to 9 percent slopes-----	77	*
BeA	Beadle-dudley complex, 0 to 2 percent slopes-----	4,462	0.8
Bn	Bon loam-----	1,444	0.3
Bo	Bon loam, channeled-----	4,241	0.8
BrB	Brandt silty clay loam, 2 to 6 percent slopes-----	367	*
BuC	Buse-barnes loams, 6 to 9 percent slopes-----	9,800	1.8
BuD	Buse-barnes loams, 9 to 20 percent slopes-----	2,791	0.5
BxD	Buse-holmquist, channeled, loams, 0 to 20 percent slopes-----	1,722	0.3
ChA	Clarno-bonilla loams, 0 to 2 percent slopes-----	24,260	4.4
ChB	Clarno-bonilla loams, 1 to 6 percent slopes-----	1,740	0.3
CeB	Clarno-ethan-bonilla loams, 1 to 6 percent slopes-----	45,004	8.1
CeC	Clarno-ethan-bonilla loams, 2 to 9 percent slopes-----	3,450	0.6
Ct	Crossplain-tetonka complex-----	9,734	1.8
Cu	Cubden silty clay loam-----	2,152	0.4
Cv	Cubden-badger silty clay loams-----	7,698	1.4
Cw	Cubden-tonka silty clay loams-----	656	0.1
Dc	Davison-crossplain complex-----	2,768	0.5
DeA	Delmont loam, 0 to 2 percent slopes-----	1,002	0.2
DtB	Delmont-talmo loams, 2 to 6 percent slopes-----	1,431	0.3
Dv	Divide loam-----	863	0.2
Dx	Dudley-jerauld silt loams-----	4,690	0.8
Dy	Durrstein silt loam-----	149	*
EgA	Egeland-embden complex, 0 to 2 percent slopes-----	1,176	0.2
EgB	Egeland-embden complex, 2 to 6 percent slopes-----	1,351	0.2
EmC	Egeland-maddock sandy loams, 6 to 9 percent slopes-----	183	*
EnD	Ethan-betts loams, 9 to 20 percent slopes-----	1,002	0.2
EoD	Ethan-bon, channeled, loams, 0 to 20 percent slopes-----	4,551	0.8
EtC	Ethan-clarno loams, 6 to 9 percent slopes-----	5,866	1.1
EtD	Ethan-clarno loams, 9 to 15 percent slopes-----	1,254	0.2
HbB	Henkin-blendon fine sandy loams, 2 to 6 percent slopes-----	115	*
HeA	Hetland silty clay loam, 0 to 2 percent slopes-----	16,762	3.0
HeB	Hetland silty clay loam, 2 to 6 percent slopes-----	4,622	0.8
HpA	Houdek-prosper loams, 0 to 2 percent slopes-----	133	*
HpB	Houdek-prosper loams, 1 to 6 percent slopes-----	1,738	0.3
HsA	Houdek-stickney complex, 0 to 2 percent slopes-----	41,600	7.5
HsB	Houdek-stickney complex, 2 to 6 percent slopes-----	7,829	1.4
Ht	Houdek-stickney-tetonka complex-----	20,425	3.7
Hv	Hoven silt loam-----	304	*
Lh	La prairie-holmquist loams, channeled-----	1,636	0.3
Lm	Lamoure silty clay loam-----	2,078	0.4
Lo	Lowe loam-----	2,268	0.4
Ma	Marysland loam-----	2,469	0.4
MeA	Minnewasta sandy loam, 0 to 2 percent slopes-----	113	*
Mw	Minnewaukan loamy sand-----	652	0.1
Od	Oldham silty clay loam-----	9,354	1.7
Og	Orthents, gravelly-----	777	0.1
Pa	Parnell silty clay loam-----	6,190	1.1
Pm	Playmoor silty clay loam-----	1,500	0.3
PoB	Poinsett-buse-waubay complex, 1 to 6 percent slopes-----	74,472	13.5
PoC	Poinsett-buse-waubay complex, 2 to 9 percent slopes-----	20,755	3.8
PrB	Poinsett-rusklyn-waubay silty clay loams, 1 to 6 percent slopes-----	1,863	0.3
PwA	Poinsett-waubay silty clay loams, 0 to 2 percent slopes-----	12,727	2.3
PwB	Poinsett-waubay silty clay loams, 1 to 6 percent slopes-----	48,081	8.7
RfA	Renshaw-fordville loams, 0 to 2 percent slopes-----	4,814	0.9
RfB	Renshaw-fordville loams, 2 to 6 percent slopes-----	4,405	0.8
RsB	Renshaw-sioux complex, 2 to 6 percent slopes-----	4,192	0.8
RsC	Renshaw-sioux complex, 6 to 9 percent slopes-----	1,748	0.3
SnA	Sinai silty clay, 0 to 2 percent slopes-----	1,925	0.3
SrD	Sioux-renshaw complex, 9 to 15 percent slopes-----	287	*
Ss	Southam silty clay loam-----	12,788	2.3
St	Stickney-dudley silt loams-----	444	*
Sv	Stickney-dudley-hoven silt loams-----	27,870	5.0
TdD	Talmo-delmont loams, 6 to 15 percent slopes-----	165	*
Te	Tetonka silt loam-----	2,884	0.5
To	Tonka silty clay loam-----	2,257	0.4

See footnote at end of table.

Section II
Soil and Site Information

Acreage and Proportionate Extent of the Soils
Kingsbury County, South Dakota

Map symbol	Soil name	Acres	Percent
VbA	Vienna-brookings complex, 0 to 2 percent slopes-----	837	0.2
VbB	Vienna-brookings complex, 1 to 6 percent slopes-----	2,203	0.4
W	Water-----	31,230	5.6
Wa	Waubay silty clay loam-----	785	0.1
Wb	Waubay-badger silty clay loams-----	6,407	1.2
Wo	Worthing silty clay loam-----	3,767	0.7
Wp	Worthing silty clay loam, ponded-----	1,696	0.3
	Total-----	553,005	100.0

* Less than 0.1 percent.

See footnote at end of table.